



INSTALLATION AND USER MANUAL

ORBIT FLAT RECTANGULAR



10 x 6 ft | 11 x 8 ft | 12,5 x 8 ft | 14 x 10 ft



Črmošnjice 71
8000 Novo mesto
Slovenia

E: info@akrobat.com
T: +386 730 800 60

www.akrobat.com



EN / 01-2025



100 % made
in Europe



2.5 million
jumps guarantee



62.7 % softer
bounce absorption



1. WARNINGS!

Read this manual carefully before assembling and using your trampoline. Keep this manual for future reference.

The responsibility of the owner is to ensure that all users of the product are fully informed about the proper use of this trampoline and all safety precautions.

Thank you for choosing Akrobat Trampoline!

Your trampoline is so much more than just another outdoor toy. It was designed to provide engaging playtime, create fun memories and active exercise to all members of the family, no matter what age. Akrobat trampolines are built to last. Made of best quality European materials and as a result of skilled craftsmanship, your trampoline will serve you for years to come.

Safety comes first! In order to achieve the best trampolining experience that will keep you fit and energised, please read these assembly instructions and safety recommendations thoroughly to minimize any chances of injuries.


Maximum user weight is defined by the size of the trampoline:



10 x 6 ft / 305 x 183 cm	100 kg / 220 lbs
11 x 8 ft / 335 x 244 cm	130 kg / 286 lbs
12,5 x 8 ft / 380 x 244 cm	130 kg / 286 lbs
14 x 10 ft / 427 x 305 cm	130 kg / 286 lbs




- Adult supervision and instruction required at all times.
- The trampoline has to be assembled by an adult and cautiously inspected before first use.
- Make sure the safety net and the enclosure poles are correctly and securely positioned. Replace any worn, defective, or missing parts.
- Minors must be supervised by an adult person regardless of their skills or training. Be sure to prevent access to the trampoline without proper supervision.
- Check the trampoline before each use. Regular maintenance check-ups of the trampoline and trampoline parts are necessary to prevent injuries. Keeping the trampoline impeccable will prolong the lifetime of your trampoline.
- Serious injury, paralysis or even death can occur if the trampoline is not used properly.
- This trampoline is for outdoor use only.
- Not suitable for children under 36 months - small parts, choking hazard.
- Wear clothing free of drawstrings, hooks, loops or anything that could get caught while using the trampoline/enclosure and result in entanglement. Do not attach anything to the enclosure that is not a manufacturer-approved accessory or part of the enclosure system.
- Properly secure the trampoline/enclosure when not in use. Protect it against unauthorized use.
- Jumping on the trampoline is not recommended during pregnancy.
- Do not use the trampoline under the influence of alcohol, drugs or heavy medication.
- Keep all sources of heat and flames away from the product.
- Always close the net opening before jumping.
- The jumping mat should be kept clean and dry. Jumping on a wet jumping mat is prohibited in order to avoid slips and falls.
- Remove footwear before jumping on the trampoline.
- Do not eat food, sweets or chew gum when bouncing.
- Bounce in the center of the mat.
- Stop bouncing by flexing the knees as feet come in contact with the trampoline bed. Learn this skill before attempting other jumps.
- Do not exit by a jump – always walk on and off. It is a dangerous practice to jump from the trampoline to the floor or ground when dismounting, or to jump onto the trampoline when mounting. Do not use the trampoline as a springboard to other objects. Do not jump from other objects, buildings, or surfaces, onto the trampoline, or into or over the trampoline enclosure.
- Avoid bouncing too high or for too long, make regular breaks.
- Stay low to control your bounce and repeat landing in the center of the trampoline. Always control your bounce. Control is more important than height.
- Do not attempt or allow somersaults. Landing on the head or neck can cause serious injury, paralysis, or death, even when landing in the middle of the bed.
- No more than one person is allowed to use the trampoline at a time. Collision hazard: multiple jumpers increase the chances of loss of control and this can result in serious injury.
- Misuse or abuse of the trampoline is dangerous and can result in serious injury.
- Glasses, jewellery and similar objects should be taken off before entering the trampoline. Empty your pockets and keep your hands free when jumping. Always jump on the middle of the jumping mat.
- Do not sit on the trampoline safety pad and do not stand on the edge while another person is jumping.
- Keep small children away from the trampoline while others are bouncing on it, because the edge can move in and out vigorously.
- Trampoline should be placed on a level grass surface or soft surface such as sand or bark. Do not use trampoline on hard surfaces as asphalt, concrete or other similar surfaces. Do not place trampoline around swimming pools, swings, slides, climbing walls etc.
- Do not use the trampoline in windy weather. If you are using a safety net, remove and store it for better weather conditions.
- Installation of this trampoline requires digging a trampoline pit. Before installing the trampoline make sure that your ground will drain well. We advise to get help by a professional if you are not sure about the quality of the ground or other issues regarding the digging.
- Remove all hard objects around and under the trampoline. There should be no objects – such as fences, roofing, tree branches, laundry ropes, electrical cables etc. – anywhere near or above the trampoline. Clear the surroundings for at least 2 metres / 6'7" in every direction.
- Ensure there is 6 meters / 19'8" free head space above the trampoline.
- Each modification made to the trampoline must be approved by the manufacturer.
- When moving the trampoline, disassemble it in reverse order of assembling. Move to desired location and re-assemble according to these instructions.
- For additional information concerning the trampoline equipment, please contact the manufacturer.

2. TRAMPOLINE PARTS

		Orbit Flat 10 x 6 ft / 305 x 183 cm 11 x 8 ft / 335 x 244 cm		Orbit Flat 12,5 x 8 ft / 380 x 244 cm		Orbit Flat 14 x 10 ft / 427 x 305 cm	
Part A	Corner frame part 1	1 pc		2 pcs		2 pcs	
Part B	Corner frame part 2	1 pc		2 pcs		2 pcs	
Part C	Corner frame part 3	1 pc		2 pcs		2 pcs	
Part D	Corner frame part 4	1 pc		/	/	2 pcs	
Part E	Middle section plug-socket	2 pcs		2 pcs		2 pcs	
Part F	Middle section socket-socket	2 pcs		2 pcs		/	/
Part G	Jumping mat	1 pc		1 pc		1 pc	
Part H	Springs	68 pcs / 80 pcs		94 pcs		104 pcs	
Part I	Frame pad	1 pc		1 pc		1 pc	
Part J	Foam inserts for padding	/	/	/	/	4 pcs	
Part K	Frame pad elastics	16 pcs		16 pcs		16 pcs	

		Orbit Flat 10 x 6 ft / 305 x 183 cm 11 x 8 ft / 335 x 244 cm		Orbit Flat 12,5 x 8 ft / 380 x 244 cm		Orbit Flat 14 x 10 ft / 427 x 305 cm	
Part L	Retaining PVC panels	8 pcs		8 pcs		8 pcs	
Part M	Screws for panels	40 pcs		48 pcs		48 pcs	
Part N	Measuring tape	1 pc		1 pc		1 pc	
Part O	Spring tool	1 pc		1 pc		1 pc	

Safety net assembly parts

Part P	Poles for safety net	8 pcs		8 pcs		8 pcs	
Part R	Safety net	1 pc		1 pc		1 pc	

* Depending on your purchase, you will find either a safety net with a zipper entrance or an overlapping entrance.

3. ASSEMBLY AND INSTALLATION


We recommend at least two people to assemble the trampoline. Use gloves to protect your hands from pinch points and sharp points during assembly. Do not apply excessive force during assembly that will cause damage to the product.

TOOLS: You will need a battery drill with 7 mm cap for the retaining wall PVC panels.


Assembling the frame

- 1 Lay the frame sections (Part A-F) to form a rectangle with the spring holes facing upwards. Push all sections together until they are all fully mated together.


10 x 6 ft / 305 x 183 cm
11 x 8 ft / 335 x 244 cm



12,5 x 8 ft / 380 x 244 cm



14 x 10 ft / 427 x 305 cm





Please note: ON THE LONG SIDES, THE FRAME WILL APPEAR TO BOW OUTWARDS - THIS IS BY DESIGN. WHEN THE SPRINGS ARE ATTACHED THE FRAME WILL PULL INWARDS, BUT ALWAYS HAVE A SLIDE OUTWARD BOW.

Important: all trampoline sizes are approximate and can be up to +/- 2.5 cm (1") different to those that we publish.

Fitting the mat and installing the springs


- 2 Lay the mat flat inside the frame. Make sure the logo is facing upwards. In order to make the installation of the jumping mat easier, locate the four rings in the corners of the jumping mat and attach four springs on these locations first. Then continue by attaching springs from the corners to the middle of the mat until all springs are attached. Pass the springs through the spring loops on the corners underside of the jumping mat.

At first, it may look like the mat won't fit, it will however stretch to the correct size when you finish attaching all springs.



Important:

Be sure all spring hooks are well attached to the frame.



Important:

Be sure that you hook the corner spring trough the loop in the corner. It will keep the corners of the mat in place.

AKROBAT HINT:

Springs can be hard to attach, you will need a little force. Help yourself by using spring tool to pull the spring towards the frame holes. Do not forget to wear gloves!

Inserting the foam into the frame pad

3

Inside the package you will find four parts of foam. This foam needs to be inserted into PVC pocket on the bottom side, located exactly in the middle of each side of the frame pad.



The foam must be completely in the cover, this can take some effort. The operation is similar to a pillowcase. The foam may therefore no longer be visible after installation and must be fully mounted in the PVC cover.



Attaching the frame pad

4

Lay the safety pad on the top of the trampoline with the eyelets facing up. Insert the elastic toggles through the eyelets so the loop end of the elastic faces outwards and the toggle end is on the inside.



Flip the frame pad over and pull the elastic band around the frame. Insert the toggle into the loop, then rotate the toggle inwards to secure it. Repeat with all frame pad elastics.



Important:

The frame pad must cover the entire frame and all springs.



The last step to secure the frame pad to the trampoline is placing springs into the "spring loops". You will find them on the underside of the frame pad where each pad section joins the next one. Remove a single spring under every loop, slip it through the loop and reattach to the frame. Repeat with all loops. This will prevent the front of the pads from lifting up.



Attaching the PVC retaining panels

5

The next step is screwing the PVC retaining wall panels to the frame. You will need the battery drill with 7 mm cap and gloves. Take one panel and place it against the outside of the frame. Insert and tighten the screws to attach the panel tightly to the frame. Repeat with all remaining panels.

PVC panels with 6 or 8 holes (4 pcs) are installed on the corners of the frame.




Digging the trampoline pit

- 6

Position the frame on the location you chose and mark the position on the ground. It's best to mark out a hole a bit wider than the diameter of your trampoline.

This will make it easier for you to put the frame in and find the right level. Dig the pit to the following dimensions:

Model	Trampoline size (cm)	Dimension A - OUTSIDE HOLE (cm / ft)	Dimension B - INNER HOLE (cm / ft)	Dimension C - PIT DEPTH (cm / ft)
14 x 10 ft	427 x 305	435 x 315 / 14'3" x 10'4"	385 x 265 / 12'8" x 8'8"	90 / 2'11"
12,5 x 8 ft	380 x 244	390 x 255 / 12'10" x 8'4"	340 x 205 / 11'2" x 6'9"	90 / 2'11"
11 x 8 ft	335 x 244	345 x 255 / 11'4" x 8'4"	295 x 205 / 9'8" x 6'9"	75 / 2'6"
10 x 6 ft	305 x 183	315 x 195 / 10'4" x 6'5"	265 x 145 / 8'8" x 4'9"	75 / 2'6"



The hole should not accumulate water (in which case the drainage is necessary) and it should be possible to clean during maintenance.

First, dig the outer hole to create a ledge for your trampoline frame, which needs to be 25 cm / 10" deep. This is the exact frame height, so that the safety pad on top of the frame will be just above the grass level. Continue by digging the inner hole.

Dig the inner hole according to the dimensions of your trampoline and with a bowl-shaped bottom. The inner hole should be 40 cm / 1'4" narrower than the trampoline size. This will leave a 20 cm / 8" ledge all around on which the trampoline will sit.

AKROBAT HINT:



It's a relatively easy task to hand dig the hole for smaller size trampolines, but it would be best to hire a mini digger to excavate most of the soil and leave you with the finishing touches.

Note: You will need to save some of the soil for later.

How to measure the hole depth

- 7

To properly measure the depth of the hole, use the measuring tape provided in the kit. Stretch the tape over the entire dimension of the trampoline pit. Smaller holes on both sides of the measuring tape indicate the dimension of your trampoline size. When placing the measuring tape in the area, it is first necessary to check that the measuring marks indicate the edge dimension of your trampoline. Once the edge dimension is determined, then you can easily define the central position of the pit, which indicates, where the pit for your trampoline should be the deepest.



Placing the trampoline into the pit

- 8

We recommend a team of four people to lower the trampoline into the pit. Carefully place the trampoline on the ledge. Fill the remaining free space around the trampoline with the remaining soil.

Check that the trampoline is well levelled. You may want to remove the trampoline to make any adjustments to the height that the frame is sitting on. Aim for the trampoline jumping mat to sit flush to the ground.

There should be no gap between your ground and your trampoline. Finally, re-lay the saved soil around the trampoline and compact down as much as possible.




AKROBAT HINT:

If you want to avoid grass growing under your trampoline weed protection is available for additional purchase.

Placing the safety net poles and safety net


- 9** Insert the poles into the PVC protection sewn to the net and then place the entire net together with the inserted poles on the trampoline.



- 10** We advise two people to install the safety net. Place the net on the trampoline, so that entrance is where the warnings are printed on jumping pad. Start inserting metal poles into the enclosure sockets, starting with entrance pole. Lift poles with net through the slots between the pad sections and push it to the sockets in middle junction part of the frame.

Make sure that they are fitting in the hole entirely, to secure that the net pole is fixed. Repeat the same step with all of the rest poles around the trampoline.

When you have all the poles installed, pull the whole net down to keep it as taut as possible.



Important:

Make sure the net sleeve is pulled down completely and there is no empty space left on the top. Your net has been successfully installed!




If you have trampoline with ZIPPER net than your are finished with installation.



If your set has a standard safety net with a zipper closing entrance, then skip step 10. If your set includes the safety net with overlapping entrance, then please follow the instructions below.

The final step of the installation for net with **overlapping entrance** is securing the entrance. Feed both straps of the net underneath the padding and tie them to the frame of the trampoline.



4. TRAMPOLINE MAINTENANCE



Check your trampoline before each season thoroughly – particularly the frame, frame pad, springs, jumping mat and safety net. We advise regular check-ups during the season as well. In contrary, damaged parts could be overlooked, which may result in severe accidents or injuries.

Your check list should include following points:

- All parts are well attached.
- All springs are well secured to the frame and the rings on the jumping mat.
- The trampoline has no damages, such as rips, holes, sharp, twisted or broken parts. If you notice any damage, change the parts immediately.
- Check the safety net and the poles for potential damages and replace the safety net every 2 years.

For the best maintenance of your trampoline, also make sure no animals are allowed on the trampoline as they could damage both the frame pad and the jumping mat.

The trampoline should be disassembled and withdrawn from use at once in case of any damage or missing parts until the defects are repaired or parts replaced.

Extreme weather conditions can impact the trampoline materials, therefore follow these recommendations:

- Disassemble the safety net in case of strong wind and weigh the trampoline down. Store the safety net in a safe place.
- Remove the jumping mat during winter season as the weight of the snow could damage the mat.
- Protect the trampoline from direct heat, fire, sparks and fireworks.
- Protect your trampoline from heavy rain and snow as well.

The trampoline pit should not accumulate water (in which case the drainage is necessary) and it should be possible to clean during maintenance.

Cleaning the trampoline:

All Akrobat trampoline mats and frame pads are made of durable high-quality materials and should not be cleaned with any aggressive cleaning products! Trampoline surfaces are best cleaned with mild soapy water and thoroughly rinsed with water afterwards.

Remember, the trampoline should only be used by one person at the time!

CONGRATULATIONS!

Your Akrobat trampoline is now ready to be used. Enjoy!

If this is your first trampoline, we advise you to start by learning the basic jumps described in this manual.

User weight must not exceed:



10 x 6 ft / 305 x 183 cm	100 kg / 220 lbs
11 x 8 ft / 335 x 244 cm	130 kg / 286 lbs
12,5 x 8 ft / 380 x 244 cm	130 kg / 286 lbs
14 x 10 ft / 427 x 305 cm	130 kg / 286 lbs

PLEASE KEEP THIS MANUAL FOR LATER USE.

5. TRAMPOLINE ACCESSORIES

Akrobat trampoline weather cover

Providing year-round maximum protection from damage caused by weather and debris, Akrobat trampoline cover increases the lifespan of your trampoline and adds durability for countless jumping moments. It is made of UV-resistant high-quality PVC and available for all sizes and shapes of Akrobat trampolines.



Akrobat weed protection

When installing an in-ground trampoline, it is advised to cover the hole with a weed membrane, which will stop the weeds from growing underneath your trampoline. This way, you can prevent weeds to grow through the springs and obstruct the jumping experience.



Akrobat trampoline socks

Durable trampoline socks with high quality grips ensure a higher level of safety. The traction material used on the soles of the socks provides friction that reduces sliding and can decrease the likelihood of accidents. In case of numerous users, the socks also help control the spreading of microbes which can be exchanged between bare feet.

6. JUMPING INSTRUCTIONS

Each jumper must start by learning slow and controlled jumps. Safe landings are the base of trampoline jumping skills and are important to learn at the beginning. Lack of these skills may result in severe injuries.

Both jumper and instructor should keep in mind that steady balance at each jump represents the base of successful trampoline jumping.

The stopping technique is equally important as jumping. Correct stopping represents one of the most important safety precautions in trampoline jumping. When losing control of the jump and/or balance the jumper has to react quickly to prevent injuries. In order to achieve this, the jumper should simply bend his knees before landing on the jumping mat. This is the safest way to stop the jump and prevent accidents.

While learning and training trampoline jumps, it is advised to have a person standing around the trampoline in order to help the jumper if needed. Trampoline jumping is a physical strain and shouldn't last too long. A tired jumper can easily succumb to errors in jumping thus highly increasing risk of injury.

High trampoline jumps are considered advanced jumps and should not be allowed to inexperienced jumpers. It is extremely important to be sure that the height of the jump corresponds to the experience of the jumper.

PLEASE NOTE:



Beginners should learn the basic body positions and practice the basic bounces described in this manual.



To learn how to balance and jump, stand in the middle of the jumping area and bounce softly up and down to control the movement. Increase the intensity gradually, returning to the same position on the jumping mat with each bounce.



Focus on the jumping mat when jumping, failing to do so may quickly result in losing balance and falling.





Do not perform somersaults without supervision! Somersaults should be carried out only by experienced jumpers under supervision of an expert and using appropriate safety measurements.

7. BASIC TRAMPOLINE JUMPS


THE JUMPING JACK:

1. Start from a standing position with feet in shoulder width, head up and eyes on the trampoline mat.
2. Swing your hands forward, above your head and back in a circular motion.
3. Bring your feet together in mid-air and point your toes.
4. Land back on the center of the mat with your feet in shoulder width (the same as the starting position).




THE FRONT DROP:

1. Start by softly bouncing up and down a few times.
2. Jump upwards and land with your hands and knees forward.
3. Push yourself off with your hands and jump back to the upright position.



THE PRAYING MANTIS:

1. Start with a low bounce.
2. Land on your knees in shoulder width, keeping your back straight and keep your arms stretched out to maintain balance.
3. Bounce back to the starting position by using the bounce momentum and swinging your arms upwards.





BOTTOM BOUNCE:

1. Start with a basic starting position. Jump up, aiming to the center of the jumping mat.
2. Land with your legs stretched in front of you, with hands on both side of your hips and keep your back straight.
3. Push yourself up with your hands to rebound to the starting position.

THE PANCAKE DROP:

1. Start off with a soft, low jump upwards.
2. Let yourself fall on your front, placing your hands on the jumping mat in front of you.
3. Push yourself up to the starting position.





THE TURTLE DROP:

1. Start with a soft upwards jump.
2. Land on your back, keeping your chin close to your chest and your knees bent. Keep your chin towards your chest as you land.
3. Kick your legs forward in order to jump up and land in the starting position.

THE ROLLING STONE:

1. Start from the front drop position and push to the left or right with your arms to start turning.
2. Turn your head and shoulders in the direction that your body is turning.
3. Keep your back parallel with the jumping mat and your head straight.
4. Return to the lying position to finish the jump, lying in the opposite direction as at the beginning.



THE FLYING BALLERINA:

1. Start with the sitting position.
2. Jump and turn your head left or right and swing your hands in the same direction to turn in the air.
3. Follow the motion with your hips to complete the turn.
4. Land in the sitting position to complete the jump.

You now master the basic jumps and are ready to jump even higher!

But remember to always stay in control of your jumps.

ENJOY IN PURSUING YOUR PASSION FOR JUMPING!